

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : FAW-1540WS

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Smart Chemical Solutions, LLC  
3505 Olsen Blvd  
Suite 201  
Amarillo, TX 79109  
T (806) 367-8031

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

|  |      |                                   |
|--|------|-----------------------------------|
| Flammable liquids Category 2                                   | H225 | Highly flammable liquid and vapor |
| Acute toxicity (dermal) Category 4                             | H312 | Harmful in contact with skin      |
| Acute toxicity (inhalation:dust,mist) Category 4               | H332 | Harmful if inhaled                |
| Serious eye damage/eye irritation Category 2                   | H319 | Causes serious eye irritation     |
| Specific target organ toxicity (single exposure) Category 1    | H370 | Causes damage to organs           |
| Hazardous to the aquatic environment - Acute Hazard Category 3 | H402 | Harmful to aquatic life           |

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H225 - Highly flammable liquid and vapor  
H312+H332 - Harmful in contact with skin or if inhaled  
H319 - Causes serious eye irritation  
H370 - Causes damage to organs  
H402 - Harmful to aquatic life

Precautionary statements (GHS US) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/Bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

1.03% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
1.03% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
1.03% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                 | Product identifier | %          | GHS US classification  |
|--------------------------------------|--------------------|------------|--|
| Methanol                             | CAS-No.: 67-56-1   | 10 – 30.1  | Flam. Liq. 2, H225<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Inhalation), H331<br>STOT SE 1, H370 |
| Amino Methylene Phosponic Acid Salts | CAS-No.: 7647-01-0 | 0.25 – 2.5 | Skin Corr. 1, H314<br>Eye Dam. 1, H318   |

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                       |  |
|---------------------------------------|--|
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a poison center/doctor/physician if you feel unwell.  |

### 4.2. Most important symptoms and effects (acute and delayed)

|                                    |                   |
|------------------------------------|-------------------|
| Symptoms/effects after eye contact | : Eye irritation. |
|------------------------------------|-------------------|

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

### 5.2. Specific hazards arising from the chemical

|  |                                      |
|--|--------------------------------------|
| Fire hazard                                      | : Highly flammable liquid and vapor. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.       |

### 5.3. Special protective equipment and precautions for fire-fighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |   |
|----------------------|---|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothing. |
|----------------------|---|

#### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Collect spillage.   |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information       | : Dispose of materials or solid residues at an authorized site.   |

### 6.4. Reference to other sections

For further information refer to section 13.

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### FAW-1540WS

No additional information available

##### Methanol (67-56-1)

###### USA - ACGIH - Occupational Exposure Limits

|                      |  |
|----------------------|--|
| Local name           | Methanol   |
| ACGIH OEL TWA [ppm]  | 200 ppm  |
| ACGIH OEL STEL [ppm] | 250 ppm  |
| Remark (ACGIH)       | TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI |
| Regulatory reference | ACGIH 2022   |

###### USA - ACGIH - Biological Exposure Indices

|                      |  |
|----------------------|--|
| Local name           | METHANOL   |
| BEI                  | 15 mg/l Parameter: Methanol - Medium: urine - Sampling time: End of shift - Notations: B, Ns |
| Regulatory reference | ACGIH 2022   |

###### USA - OSHA - Occupational Exposure Limits

|                                |                          |
|--------------------------------|--------------------------|
| Local name                     | Methyl alcohol           |
| OSHA PEL TWA [1]               | 260 mg/m <sup>3</sup>    |
| OSHA PEL TWA [2]               | 200 ppm                  |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

##### Amino Methylene Phosponic Acid Salts (7647-01-0)

No additional information available

#### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear respiratory protection.

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                     |
|---|---------------------|
| Physical state                                  | : Liquid            |
| Appearance                                      | : Clear.            |
| Color   | : amber             |
| Odor  | : slight            |
| Odor threshold                                  | : No data available |
| pH  | : 6.33 – 6.63       |
| Melting point                                   | : Not applicable    |
| Freezing point                                  | : -10°F             |
| Boiling point                                   | : No data available |
| Flash point                                     | : No data available |
| Relative evaporation rate (butyl acetate=1)     | : No data available |
| Flammability (solid, gas)                       | : Not applicable.   |
| Vapor pressure                                  | : No data available |
| Relative vapor density at 20 °C                 | : No data available |
| Relative density                                | : No data available |
| Density   | : 7.978 – 8.278     |
| Solubility                                      | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature                       | : No data available |
| Decomposition temperature                       | : No data available |
| Viscosity, kinematic                            | : No data available |
| Viscosity, dynamic                              | : No data available |
| Explosion limits                                | : No data available |
| Explosive properties                            | : No data available |
| Oxidizing properties                            | : No data available |

### 9.2. Other information

No additional information available

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Highly flammable liquid and vapor.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Harmful in contact with skin.  
Acute toxicity (inhalation) : Harmful if inhaled.

#### FAW-1540WS

|                                 |   |
|---------------------------------|---|
| ATE US (dermal)                 | 1197.815 mg/kg body weight  |
| ATE US (dust, mist)             | 1.996 mg/l/4h   |
| Unknown acute toxicity (GHS US) | 1.03% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)<br>1.03% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)<br>1.03% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |

#### Methanol (67-56-1)

|                       |   |
|-----------------------|---|
| LD50 oral rat         | 1187 – 2769 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, Aqueous solution, Oral, 7 day(s)) |
| LD50 dermal rabbit    | 300 mg/kg Source: ECHA  |
| LC50 Inhalation - Rat | 128 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))                         |
| ATE US (oral)         | 1187 mg/kg body weight  |
| ATE US (dermal)       | 300 mg/kg body weight   |
| ATE US (gases)        | 700 ppmV/4h   |
| ATE US (vapors)       | 3 mg/l/4h   |
| ATE US (dust, mist)   | 0.5 mg/l/4h   |

Skin corrosion/irritation : Not classified  
pH: 6.33 – 6.63

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Methanol (67-56-1)

|    |                                     |
|----|-------------------------------------|
| pH | No data available in the literature |
|----|-------------------------------------|

### Amino Methylene Phosponic Acid Salts (7647-01-0)

|    |              |
|----|--------------|
| pH | 0.1 (3.65 %) |
|----|--------------|

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 6.33 – 6.63

### Methanol (67-56-1)

|    |                                     |
|----|-------------------------------------|
| pH | No data available in the literature |
|----|-------------------------------------|

### Amino Methylene Phosponic Acid Salts (7647-01-0)

|    |              |
|----|--------------|
| pH | 0.1 (3.65 %) |
|----|--------------|

Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Causes damage to organs.

### Methanol (67-56-1)

|                      |                          |
|----------------------|--------------------------|
| STOT-single exposure | Causes damage to organs. |
|----------------------|--------------------------|

STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
Viscosity, kinematic : No data available  
Symptoms/effects after eye contact : Eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life.

### Methanol (67-56-1)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)                                 |
| EC50 - Crustacea [1] | 18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect) |
| EC50 96h - Algae [1] | 22000 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)        |

### 12.2. Persistence and degradability

### Methanol (67-56-1)

|                                 |  |
|---------------------------------|--|
| Persistence and degradability   | Readily biodegradable in the soil. Readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | 0.6 – 1.12 g O <sub>2</sub> /g substance                           |
| Chemical oxygen demand (COD)    | 1.42 g O <sub>2</sub> /g substance                                 |
| ThOD                            | 1.5 g O <sub>2</sub> /g substance                                  |

### Amino Methylene Phosponic Acid Salts (7647-01-0)

|                               |                                   |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
|-------------------------------|-----------------------------------|

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

#### Methanol (67-56-1)

|   |   |
|---|---|
| BCF - Fish [1]                                  | 1 – 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value) |
| Partition coefficient n-octanol/water (Log Pow) | -0.77 (Experimental value)  |
| Bioaccumulative potential                       | Low potential for bioaccumulation (BCF < 500).                                  |

#### Amino Methylene Phosponic Acid Salts (7647-01-0)

|                           |                      |
|---------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |
|---------------------------|----------------------|

### 12.4. Mobility in soil

#### Methanol (67-56-1)

|  |   |
|--|---|
| Mobility in soil   | 2.75 Source: HSDB                         |
| Surface tension  | No data available in the literature       |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | -0.89 – -0.21 (log Koc, Calculated value) |
| Ecology - soil   | Highly mobile in soil.                    |

#### Amino Methylene Phosponic Acid Salts (7647-01-0)

|                |  |
|----------------|--|
| Ecology - soil | No (test)data on mobility of the component(s) available. May be harmful to plant growth, blooming and fruit formation. |
|----------------|--|

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

|                         |   |
|-------------------------|---|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information  | : Flammable vapors may accumulate in the container.   |




## SECTION 14: Transport information

| DOT                                     | IMDG                                | IATA                                |
|---|-------------------------------------|-------------------------------------|
| <b>14.1. UN number</b>                  |                                     |                                     |
| 1993                                    | 1993                                | 1993                                |
| <b>14.2. Proper Shipping Name</b>       |                                     |                                     |
| Flammable liquids, n.o.s. (Methanol)    | FLAMMABLE LIQUID, N.O.S. (Methanol) | Flammable liquid, n.o.s. (Methanol) |
| <b>14.3. Transport hazard class(es)</b> |                                     |                                     |
| 3                                       | 3                                   | 3                                   |

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT   | IMDG  | IATA  |
|---|---|---|
|  |  |  |
| <b>14.4. Packing group</b>  |   |   |
| III   | III   | III   |
| <b>14.5. Environmental hazards</b>  |   |   |
| Dangerous for the environment: No   | Dangerous for the environment: No<br>Marine pollutant: No                         | Dangerous for the environment: No   |
| No supplementary information available  |   |   |

### 14.6. Special precautions for user

|  |   |
|--|---|
| <b>DOT</b>   |   |
| UN-No.(DOT)  | : UN1993  |
| DOT Special Provisions (49 CFR 172.102)                          | : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.<br>B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.<br>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).<br>T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)<br>TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.<br>TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP. |
| DOT Packaging Exceptions (49 CFR 173.xxx)                        | : 150   |
| DOT Packaging Non Bulk (49 CFR 173.xxx)                          | : 203   |
| DOT Packaging Bulk (49 CFR 173.xxx)                              | : 242   |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L  |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 220 L   |
| DOT Vessel Stowage Location                                      | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.   |
| <b>IMDG</b>  |   |
| Special provision (IMDG)   | : 223, 274, 955   |
| Limited quantities (IMDG)  | : 5 L   |
| Excepted quantities (IMDG)                                       | : E1  |
| Packing instructions (IMDG)                                      | : LP01, P001  |
| IBC packing instructions (IMDG)                                  | : IBC03   |
| Tank instructions (IMDG)   | : T4  |
| Tank special provisions (IMDG)                                   | : TP1, TP29   |

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS  
EmS-No. (Spillage) : S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER  
Stowage category (IMDG) : A

### IATA

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provision (IATA) : A3  
ERG code (IATA) : 3L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

|                                      |                   |             |
|--------------------------------------|-------------------|-------------|
| Amino Methylene Phosponic Acid Salts | CAS-No. 7647-01-0 | 0.25 – 2.5% |
|--------------------------------------|-------------------|-------------|

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

|          |                 |            |
|----------|-----------------|------------|
| Methanol | CAS-No. 67-56-1 | 10 – 30.1% |
|----------|-----------------|------------|

#### Methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

|           |         |
|-----------|---------|
| CERCLA RQ | 5000 lb |
|-----------|---------|

### 15.2. International regulations

#### CANADA

#### Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

#### Methanol (67-56-1)


Listed on INSQ (Mexican National Inventory of Chemical Substances)

# FAW-1540WS

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

 **WARNING:** This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases

|      |                                   |
|------|-----------------------------------|
| H225 | Highly flammable liquid and vapor |
| H312 | Harmful in contact with skin      |
| H319 | Causes serious eye irritation     |
| H332 | Harmful if inhaled                |
| H370 | Causes damage to organs           |
| H402 | Harmful to aquatic life           |

Safety Data Sheet (SDS), USA